Ultrasound in Medicine & Biology

Author–Subject Index Volume 8 (1982)

Compiled by

Michael Halliwell
Department of Medical Physics, Bristol General Hospital, Bristol B51657, England

PERGAMON PRESS

OXFORD · NEW YORK · TORONTO
SYDNEY · PARIS · FRANKFURT

ULTRASOUND IN MEDICINE AND BIOLOGY

WORLD FEDERATION FOR ULTRASOUND IN MEDICINE AND BIOLOGY

President: GEORGE KOSSOFF, *Sydney, Australia*
Vice-President: WILLIAM GARRETT, *Sydney, Australia*
Past-President: H. R. MULLER, *Basel, Switzerland*
President-Elect: HORACE THOMPSON, *Shreveport, U.S.A.*
Treasurer: BARRY GOLDBERG, *Philadelphia, U.S.A.*
Secretary: CHRISTOPHER HILL, *Sutton, England*
Editor of the Journal: DENIS WHITE, *Kingston, Canada*
Councillors: M. FUKUDA, *Sapporo, Japan*
H. G. TRIER, *Bonn, G.F.R.*
FRANCIS WEILL, *Besancon, France*

AFFILIATED SOCIETIES

American Institute of Ultrasound in Medicine (AIUM), S. J. Jerrick (Executive Director), 4405 E-W Highway, Suite 504, Washington, DC 20014, U.S.A.

Australian Society for Ultrasound in Medicine (AIUM), J. Jellins, Secretary, Box R 374, P.O. Royal Exchange, Sydney, NSW 2000, Australia

European Federation of Societies for Ultrasound in Medicine and Biology (EFSUMB), T. Nordshus, Department of Radiology, Rontgen-Barneklinik, Rikshospitalet, Oslo 1, Norway

Japan Society of Ultrasonics in Medicine (JSUM), Dr. Y. Tsutsumi, Department of Neurosurgery, Tokyo Teishin Hospital Fujimi-Cho, Chiyoda-ku, Tokyo 102, Japan

Malaysian Society of Ultrasound in Medicine, Dr. S. K. Ong, Secretary, N. S. Chinese Maternity Hospital and Medical Center, Jalan Templer, Seremban, Negri Sembilan, Malaysia

Sociedade Brasileira de Ultra-som em Medicina e Biologia (SUSEM), M. A. M. Pavani, Secretary, Praca Germania, 45–15° andar CEP 01456, São Paulo, Brasil

Societas Internationalis pro Diagnostica Ultrasonica in Ophthalmologia (SIDUO), B. L. Hodes, Secretary, Hershey Medical Center, 500 Univ. Drive, Hershey, PA 17033, U.S.A.

South African Medical Ultrasound Society (SAMUS), E. Goudie, Secretary, P.O. Box 6705, Johannesburg, South Africa

Publishing, Advertising, and Subscription Offices: Pergamon Press, Inc., Fairview Park, Elmsford, New York 10523, USA; or Pergamon Press Ltd., Headington Hill Hall, Oxford OX3 0BW, England.

Production Office: European Publishing Corporation Ltd., 84–86 Malahide Road, Coolock, Dublin 5, Republic of Ireland.

Published bimonthly. *Annual subscription rates* (1984). For libraries, university departments, government laboratories, industrial and other multiple-reader institutions U.S. $165.00 per annum (including package and postage). Two year rate (1984/5) U.S. $313.50. Special reduced rates are available to members of organizations affiliated to the World Federation for Ultrasound in Medicine and Biology.

Specially reduced rates to individuals: In the interests of maximizing the dissemination of the research results published in this important international journal, we have established a two-tier price structure. Any individual, whose institution takes out a library subscription, may purchase a second or additional subscription for personal use at the much reduced rate of U.S. $50.00.

Microform Subscriptions and Back Issues: Back issues of all previously published volumes are available in the regular editions and on microfilm and microfiche. Current subscriptions are available on microfiche simultaneously with the paper edition and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1983 Pergamon Press Ltd.

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organisations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the U.S.A.: The Item-Fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 21 Congress Street, Salem, MA 01970. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying. In case of doubt please contact your nearest Pergamon office.

The Item-Fee Code for this publication is: 0301-5629/83 $3.00 + .00

PERGAMON PRESS
HEADINGTON HILL HALL, OXFORD OX3 0BW, ENGLAND
MAXWELL HOUSE, FAIRVIEW PARK, ELMSFORD, NY 10523, U.S.A.

Ultrasound in Med. & Biol. Vol. 9, No. 5, pp. i–xiii, 1983
Printed in the U.S.A.

AUTHOR/SUBJECT INDEX

A

Adipose tissue
oil-in-gelatin dispersions for use as ultrasonically tissue-mimicking materials (Madsen), 227
Alexson, C., see Fitzpatrick, P.G.
Almond, D. C. and Pryce, W. I. J.: Characterisation of *in vivo* placental ultrasonic images using digital techniques—a preliminary report, 29

Annular focus lens
an annular focus ultrasonic lens for local hyperthermia treatment of small tumors (Beard), 177

Aorta
assessment of aortic regurgitation by means of pulsed Doppler ultrasound (Hatteland), 1

Artefacts
an anthropomorphic ultrasound breast phantom containing intermediate-sized scatterers (Madsen), 381

Arterial disease
a critical study of ultrasound Doppler spectral analysis for detecting carotid disease (Brown), 515
a quantitative method for the evaluation of spectral analysis patterns in carotid artery stenosis (Keagy), 625
computer based pattern recognition of carotid arterial disease using pulsed Doppler ultrasound (Greene), 161
review paper. Contrast echocardiography (Roelandt), 471
videodensitometric processing of contrast two-dimensional echocardiographic data (Meltzer), 509

Arterial filters
bubble extraction by various arterial filters measured *in vitro* with Doppler ultrasound techniques (Pederson), 71

Arterioles
the effect of ultrasound on microvascular hemodynamics in skeletal muscle: effect on arterioles (Hogan), 45

A-scan analysis
characterisation of *in vivo* placental ultrasonic images using digital techniques—a preliminary report (Almond), 29
measurement of soft tissue motion using correlation between A-scans (Dickinson), 263
review paper. Contrast echocardiography (Roelandt), 471
ultrasonic characterisation of diffuse liver disease—The relative importance of frequency content in the A-scan signal (Lerski), 155

Attenuation
a preliminary analysis of the ultrasound imaging characteristics of malignant breast masses as compared with X-ray mammographic appearances and the gross and microscopic pathology (Harper), 365

a simple calibration and evaluation phantom for ultrasound scanners (McCarty), 393
an anthropomorphic ultrasound breast phantom containing intermediate-sized scatterers (Madsen), 381
characteristic echographic features of circumscribed cancer (Kasumi), 369
evaluation of backscattering coefficients for excised human tissues: principles and techniques (Nicholas), 7
evaluation of backscattering coefficients for excised human tissues: results, interpretation and associated measurements (Nicholas), 17
oil-in-gelatin dispersions for use as ultrasonically tissue-mimicking materials (Madsen), 277
review paper. Contrast echocardiography (Roelandt), 471
ultrasonic characterisation of acute renal failure (Gupta), 249
Avery, K. A., see Hogan, R. D.

B

Backscattering
evaluation of backscattering coefficients for excised human tissues: principles and techniques (Nicholas), 7
evaluation of backscattering coefficients for excised human tissues: results, interpretation and associated measurements (Nicholas), 17
oil-in-gelatin dispersions for use as ultrasonically tissue-mimicking materials (Madsen), 277
ultrasonic characterisation of acute renal failure (Gupta), 249
Bamber, J. C., see Minasian, H.
Barnett, E., see Lerski, R. A.
Barnett, S. B. and Kossoff, G.: Ultrasonic exposure in static and real-time echography, 273
Barold, S.S., see Ong, L. S.
Bastiaans, O. L., see Meltzer, R. S.
Beach, K., see Greene, F. M., Jr.

Beam characteristics
an annular focus ultrasonic lens for local hyperthermia treatment of small tumors (Beard), 177
evaluation of backscattering coefficients for excised human tissues: principles and techniques (Nicholas), 7
measurement of soft tissue motion using correlation between A-scans (Dickinson), 263
the concept of three dimensional resolution in echocardiographic imaging (Joynt), 237
the effect of ultrasound on microvascular hemodynamics in skeletal muscle: effect on arterioles (Hogan), 45
the exposure vessel as a factor in ultrasonically induced mammalian cell lysis-I. A comparison of tube and chamber systems (Sacks), 289
ultrasonic characterisation of diffuse liver disease—The relative importance of frequency content in the A-scan signal (Lerski), 155
ultrasonic treatment of tumors-III. High intensity, low frequency exposures (Child), 41
Beard, R. E., Magin, R. L., Frizzell, L. A. and Cain, C. A.: An annular focus ultrasonic lens for local hyperthermia treatment of small tumors, 177
Beloussov, L. V., see Sarvazyan, A. P.
Bhagat, P. K., see Gupta, V. N.

Bhandari, A. K. and Nanda, N. C.: Two dimensional echocardiographic recognition of abnormal changes in the myocardium, 663
Bhandari, A. K., Nanda, N. C. and Hicks, D. G.: Two-dimensional echocardiography of intracardiac masses: echo pattern-histopathology correlation
Bies, J., see Harper, A. P.

Bioeffects
an annular focus ultrasonic lens for local hyperthermia treatment of small tumors (Beard), 177
effect of pulsed ultrasound on human erythrocytes *in vitro* (Pinamonti), 631
effects of ultrasound on *Drosophila*—IV. Pulsed exposures of eggs (Child), 311
the action of low-intensity pulsed ultrasound on amphibian embryonic tissues (Sarvazyan), 639
the effect of ultrasound on microvascular hemodynamics in skeletal muscle: effect on arterioles (Hogan), 45
the exposure vessel as a factor in ultrasonically induced mammalian cell lysis—I. A comparison of tube and chamber systems (Sacks), 289
the exposure vessel as a factor in ultrasonically-induced cell lysis—II. An explanation of the need to rotate exposure tubes (Church), 299
ultrasonic treatment of tumors—III. High intensity, low frequency exposures (Child), 41

Blood flow
a preliminary assessment of an ultrasonic Doppler method for the study of blood flow in human breast cancer (Minasian), 357
assessment of aortic regurgitation by means of pulsed Doppler ultrasound (Hatteland), 1
computer based pattern recognition of carotid arterial disease using pulsed Doppler ultrasound (Greene), 161
contrast *M*-mode echocardiography in patients with interartial communications (Kronik), 501
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—I. The effect of ultrasonic beam width on the output of maximum, mean and rms frequency processors (Evans), 605
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—II. A comparison between mean and maximum velocity waveforms in a canine model (Evans), 611
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—III. The calculation of Doppler power spectra from mean velocity waveforms, and the results of processing these spectra with maximum, mean, and rms frequency processors (Evans), 617
the application of CCD transversal filters for real-time spectral analysis of Doppler ultrasound signals (Zuech), 57
the effect of ultrasound on microvascular hemodynamics in skeletal muscle: effect on arterioles (Hogan), 45
ultrasonic Doppler studies of the breast (Burns), 127
Bowes, D. E., see Keagy, B. A.

Brain
evaluation of backscattering coefficients for excised human tissues: results, interpretation and associated measurements (Nicholas), 17

the anatomical basis for the ultrasound diagnosis of cerebroventricular hemorrhage and its sequelae (de Crespigny), 595

Breast
a preliminary analysis of the ultrasound imaging characteristics of malignant breast masses as compared with X-ray mammographic appearances and the gross and microscopic pathology (Harper), 365
a preliminary assessment of an ultrasonic Doppler method for the study of blood flow in human breast cancer (Minasian), 357
an anthropomorphic ultrasound breast phantom containing intermediate-sized scatterers (Madsen), 381
characteristic echographic features of circumscribed cancer (Kasumi), 369
ultrasonic Doppler studies of the breast (Burns), 127
ultrasonic mammography without specialised equipment. Comparison with clinical examination and X-rays (Breyer), 377
Breyer, B., Ćepulić, E. and Žunter, F.: Ultrasonic mammography without specialised equipment. Comparison with clinical examination and X-rays, 377
Brown, P. M., Johnston, K. W., Kassam, M. and Cobbold, R. S. C.: A critical study of ultrasound Doppler spectral analysis for detecting carotid disease, 515

Bubbles
bubble extraction by various arterial filters measured *in vitro* with Doppler ultrasound techniques (Pederson), 71
effects of ultrasound on *Drosophila*—IV. Pulsed exposures of eggs (Child), 311
the exposure vessel as a factor in ultrasonically-induced cell lysis—II. An explanation of the need to rotate exposure tubes (Church), 299
Burke, K. M., see Hogan, R. D.
Burns, P. N., Halliwell, M., Wells, P. N. T. and Webb, A. J.: Ultrasonic Doppler studies of the breast, 127

C

Cain, C. A., see Beard, R. E.

Calibration
a comparison of two calibration methods for ultrasonic hydrophones (Gloersen), 545
a proposed standard target for ultrasound Doppler gain calibration (Newhouse), 313
a simple calibration and evaluation phantom for ultrasound scanners (McCarty), 393

Cardiology
a digital technique for tracking moving interfaces (Groves), 185
assessment of aortic regurgitation by means of pulsed Doppler ultrasound (Hatteland), 1
Doppler evaluation of fetal hemodynamics (Maulik), 705
contrast *M*-mode echocardiography in patients with interatrial communications (Kronik), 501
echocardiographic contrast patterns of the right-side of the heart: clinical significance (Gullace), 493

left ventricular inflow obstruction and atrial septal defect: diagnosis by real time two-dimensional echocardiography (Gondi), 681
interatrial septal aneurysm, systolic click and atrial tachyarrhythmia—a new syndrome (Ong), 691
the concept of three dimensional resolution in echocardiographic imaging (Joynt), 237
right sided endocarditis following Swan-Ganz catheterization: detection by two-dimensional echocardiography (Iqbal), 701
three-dimensional reconstruction of echocardiographic images using the rotation method (Ghosh), 655
two-dimensional echocardiographic recognition of abnormal changes in the myocardium (Bhandari), 663
two-dimensional echocardiographic identification of multiple cardiac tumours in a newborn (Fitzpatrick), 695
two-dimensional echocardiography of intracardiac masses: echo pattern-histopathology correlation (Bhandari), 673
videodensitometric processing of contrast two-dimensional echocardiographic data (Meltzer), 509

Carotid artery
a critical study of ultrasound Doppler spectral analysis for detecting carotid disease (Brown), 515
a quantitative method for the evaluation of spectral analysis patterns in carotid artery stenosis (Keagy), 625
computer based pattern recognition of carotid arterial disease using pulsed Doppler ultrasound (Greene), 161
the application of CCD transversal filters for real-time spectral analysis of Doppler ultrasound signals (Zuech), 57
Carstensen, E. L., see Child, S. Z.

Cavitation
the exposure vessel as a factor in ultrasonically induced mammalian cell lysis—I. A comparison of tube and chamber systems (Sacks), 289
the exposure vessel as a factor in ultrasonically-induced cell lysis—II. An explanation of the need to rotate exposure tubes (Church), 299
ultrasonic treatment of tumors—III. High intensity, low frequency exposures (Child), 41
Ćepulić, E., see Breyer, B.

Characterisation
characterisation of *in vivo* placental ultrasonic images using digital techniques—a preliminary report (Almond), 29
evaluation of backscattering coefficients for excised human tissues: principles and techniques (Nicholas), 7
evaluation of backscattering coefficients for excised human tissues: results, interpretation and associated measurements (Nicholas), 17
review paper. Contrast echocardiography (Roelandt), 471
ultrasonic characterisation of acute renal failure (Gupta), 249
ultrasonic diffraction scanning of the thyroid (Merton), 145
Child, S. Z. and Carstensen, E. L.: Effects of ultrasound on *Drosophila*—IV. Pulsed exposures of eggs, 311
Child, S. Z., Vives, B., Smachlo, K., Fridd, C. W., Hare, J. D., Linke, C. A., Davis, H. T. and Carstensen, E. L.: Ultrasonic treatment of tumors—III. High intensity, low frequency exposures, 41
Chen, F., see Robinson, D. E.
Church, C. C., see Sacks, P. G.

Church, C. C., Flynn, H. G., Miller, M. W. and Sacks, P. G.: The exposure vessel as a factor in ultrasonically-induced mammalian cell lysis—II. An explanation of the need to rotate exposure tubes, 299

Computer aided diagnosis
computer based pattern recognition of carotid arterial disease using pulsed Doppler ultrasound (Greene), 161
ultrasonic diffraction scanning of the thyroid (Merton), 145
Creekmore, S. P., Graham, M. M., Jahn, G. E., Targett, R. C. and McIlroy, M. B.: Comparison of methods of recording and analysis of Doppler blood velocity signals in normal subjects, 525
de Crespigny, L. Ch. and Robinson, H. P.: The anatomical basis for the ultrasound diagnosis of cerebroventricular hemorrhage and its sequelae, 593
Cobbold, R. S. C., see Brown, P. M.
Cobbold, R. S. C., see Kassam, M. S.
Cobbold, R. S. C., see Zuech, P.
Cosgrove, D., see Merton, J.

D

David, H. T., see Child, S. Z.
Dickinson, R. J. and Hill. C. R.: Measurement of soft tissue motion using correlation between A-scans, 263

Diffraction
evaluation of backscattering coefficients for excised human tissues: principles and techniques (Nicholas), 7
evaluation of backscattering coefficients for excised human tissues: results, interpretation and associated measurements (Nicholas), 17
ultrasonic diffraction scanning of the thyroid (Merton), 145

Digital techniques
a digital technique for tracking moving interfaces (Groves), 185
characterisation of *in vivo* placental ultrasonic images using digital techniques—a preliminary report (Almond), 29
ultrasonic characterisation of diffuse liver disease—The relative importance of frequency content in the A-scan signal (Lerski), 155

Doppler
a critical study of ultrasound Doppler spectral analysis for detecting carotid disease (Brown), 515
a preliminary assessment of an ultrasonic Doppler method for the study of blood flow in human breast cancer (Minasian), 357
a proposed standard target for ultrasound Doppler gain calibration (Newhouse), 313
assessment of aortic regurgitation by means of pulsed Doppler ultrasound (Hatteland), 1
bubble extraction by various arterial filters measured *in vitro* with Doppler ultrasound techniques (Pederson), 71
comparison of methods of recording and analysis of Doppler blood velocity signals in normal subjects (Creekmore), 525
Johann Christian Doppler and his effect—a brief history (White), 583
method for estimating the Doppler mean velocity waveform (Kassam), 537
some aspects of the relationship between instantaneous volumetric blood

flow and continuous wave Doppler ultrasound recordings—I. The effect of ultrasonic beam width on the output of maximum, mean and rms frequency processors (Evans), 605
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—II. A comparison between mean and maximum velocity waveforms in a canine model (Evans), 611
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—III. The calculation of Doppler power spectra from mean velocity waveforms, and the results of processing these spectra with maximum, mean, and rms frequency processors (Evans), 617
ultrasonic Doppler studies of the breast (Burns), 127

Drosophilia
effects of ultrasound on *Drosophila*—IV. Pulsed exposures of eggs (Child), 311

E

Echocardiography
contrast *M*-mode echocardiography in patients with interatrial communications (Kronik), 501
echocardiographic contrast patterns of the right-side of the heart: clinical significance (Gullace), 493
interatrial septal aneurysm, systolic click and atrial tachyarrhythmia—a new syndrome (Ong), 691
left ventricular inflow obstruction and atrial septal defect: diagnosis by real time two-dimensional echocardiography (Gondi), 681
the concept of three dimensional resolution in echocardiographic imaging (Joynt), 237
right sided endocarditis following Swan–Ganz catheterization: detection by two-dimensional echocardiography (Iqbal), 701
three-dimensional reconstruction of echocardiographic images using the rotation method (Ghosh), 655
review paper. Contract echocardiography (Roelandt), 471
two-dimensional echocardiographic identification of multiple cardiac tumours in a newborn (Fitzpatrick), 695
two-dimensional echocardiographic recognition of abnormal changes in the myocardium (Bhandari), 663
two-dimensional echocardiography of intracardiac masses: echo pattern-histopathology correlation (Bhandari), 673
videodensitometric processing of contrast two-dimensional echocardiographic data (Meltzer), 509
Ehrich, D. A., see Iqbal, S. M.

Errors, Doppler
assessment of aortic regurgitation by means of pulsed Doppler ultrasound (Hatteland), 1
contrast *M*-mode echocardiography in patients with interatrial communications (Kronik), 501
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—I. The effect

of ultrasonic beam width on the output of maximum, mean and rms frequency processors (Evans), 605
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—II. A comparison between mean and maximum velocity waveforms in a canine model (Evans), 611
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—III. The calculation of Doppler power spectra from mean velocity waveforms, and the results of processing these spectra with maximum, mean, and rms frequency processors (Evans), 617
Evans, D. H.: Some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—I. The effect of ultrasonic beam width on the output of maximum, mean and rms frequency processors, 605
Evans, D. H.: Some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—III. The calculation of Doppler power spectra from mean velocity waveforms and the results of processing these spectra with maximum, mean and rms frequency processors, 617
Evans, D. H. and MacPherson, D. S.: Some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—II. A comparison between mean and maximum velocity waveforms in a canine model, 611

Exposure
effects of ultrasound on *Drosophila*—IV. Pulsed exposures of eggs (Child), 311
the exposure vessel as a factor in ultrasonically induced mammalian cell lysis—I. A comparison of tube and chamber systems (Sacks), 289
the exposure vessel as a factor in ultrasonically-induced cell lysis—II. An explanation of the need to rotate exposure tubes (Church), 299
ultrasonic exposure in static and real time echography (Barnett), 273

F

Falkoff, M. D., see Ong, L. S.
Fell, G., see Greene, F. M., Jr.

Fibrosarcoma
an annular focus ultrasonic lens for local hyperthermia treatment of small tumors (Beard), 177
ultrasonic treatment of tumors—III. High intensity, low frequency exposures (Child), 41
Fitzpatrick, P. G., Manda, N. C., Harris, J. P., Alexson, C. and Manning, J. A.: Two-dimensional echocardiographic identification of multiple cardiac tumors in a newborn, 695

Flow
a digital technique for tracking moving interfaces (Groves), 185
a preliminary assessment of an ultrasonic Doppler method for the study of blood flow in human breast cancer (Minasian), 357
a quantitative method for the evaluation of spectral analysis patterns in carotid artery stenosis (Keagy), 625

assessment of aortic regurgitation by means of pulsed Doppler ultrasound (Hatteland), 1
comparison of methods of recording and analysis of Doppler blood velocity signals in normal subjects (Creekmore), 525
computer based pattern recognition of carotid arterial disease using pulsed Doppler ultrasound (Greene), 161
Doppler evaluation of fetal hemodynamics (Maulik), 705
method for estimating the Doppler mean velocity waveform (Kassam), 537
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—I. The effect of ultrasonic beam width on the output of maximum, mean and rms frequency processors (Evans), 605
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—II. A comparison between mean and maximum velocity waveforms in a canine model (Evans), 611
some aspects of the relationship between instantaneous volumetric blood flow and continuous wave Doppler ultrasound recordings—III. The calculation of Doppler power spectra from mean velocity waveforms, and the results of processing these spectra with maximum, mean, and rms frequency processors (Evans), 617
the application of CCD transversal filters for real-time spectral analysis of Doppler ultrasound signals (Zuech), 57
the effect of ultrasound on microvascular hemodynamics in skeletal muscle: effect on arterioles (Hogan), 45
ultrasonic Doppler studies of the breast (Burns), 127
videodensitometric processing of contrast two-dimensional echocardiographic data (Meltzer), 509
Flynn, H. G., see Church, C. C.

Fourier transform
the application of CCD transversal filters for real-time spectral analysis of Doppler ultrasound signals (Zuech), 57
ultrasonic characterisation of acute renal failure (Gupta), 249
Frank, G. R., see Madsen, E. L.
Franklin, T. D., see Hogan, R. D.
Fridd, C. W., see Child, S. Z.
Fried, A. M., see Gupta, V. N.
Frizzell, L. A., see Beard, R. E.
Fry, F. J., see Hogan, R. D.
Fukami, A., see Kasumi, F.

G

Gallenga, P. E., see Pinamonti, S.

Gaseous emboli
bubble extraction by various arterial filters measured *in vitro* with Doppler ultrasound techniques (Pederson), 71
effects of ultrasound on *Drosophila*—IV. Pulsed exposures of eggs (Child), 311
Ghosh, A., Nanda, N. C. and Maurer, G.: Three-dimensional reconstruction of echocardiographic images using the rotation method, 655
Gloersen, W. B., Harris, G. R., Stewart, H. F. and Lewin, P. A.: A comparison of two calibration methods for ultrasonic hydrophones, 545

Gondi, B. and Nanda, M. C.: Left ventricular inflow obstruction and atrial septal defect: diagnosis by real-time two-dimensional echo
Graham, C. M., see Kassam, M. S.
Graham, M. M., see Creekmore, S. P.
Greene, F. M. Jr., Beach, K., Strandness, D. E., Jr., Fell, G. and Phillips, D. J.: Computer based pattern recognition of carotid arterial disease using pulsed Doppler ultrasound, 161
Grover, S., see Merton, J.
Groves, D. H., Powalowdki, T. and White, D. N.: A digital technique for tracking moving interfaces, 185
Gullace, G.: Echocardiographic contrast patterns of the right side of the heart: clinical significance, 493
Gupta, V. N., Bhagat, P. K., Ott, C. E. and Fried, A. M.: Ultrasonic characterisation of acute renal failure, 249

H

Halliwell, M., see Burns, P. N.

Hamster
the exposure vessel as a factor in ultrasonically induced mammalian cell lysis—I. A comparison of tube and chamber systems (Sacks), 289
ultrasonic treatment of tumors—III. High intensity, low frequency exposures (Child), 41
Hare, J. D., see Child, S. Z.
Harper, A. P., Jackson, V. P., Bies, J. Ransburg, R. Kelly-Fry, E. and Noe, J. S.: A preliminary analysis of the ultrasound imaging characteristics of malignant breast masses as compared with X-ray mammographic appearances and the gross and microscopic pathology, 365
Harris, G. R., see Gloersen, W. B.
Harris, J. P., see Fitzpatrick, P. G.
Hatteland, K. and Semb, B. K. H.: Assessment of aortic regurgitation by means of pulsed Doppler ultrasound, 1
Hatteland, K., see Pedersen, T.
Hehir, R. L., see Iqbal, S. M.
Hertzler, L. W., see Newhouse, V. L.
Hicks, D. G., see Bhandari, A. K.
Hill, C. R., see Dickinson, R. J.
Hill, C. R., see Merton, J.
Hill, C. R., see Nicholas, D.
Hogan, R. D., Franklin, T. D., Fry, F. J., Avery, K. A. and Burke, K. M.: The effect of ultrasound on microvascular hemodynamics in skeletal muscle: effect on arterioles, 45

Hyperthermia
an annular focus ultrasonic lens for local hyperthermia treatment of small tumors (Beard), 177

I

Image analysis
a preliminary analysis of the ultrasound imaging characteristics of malignant breast masses as compared with X-ray mammographic appearances and the gross and microscopic pathology (Harper), 365

characterisation of *in vivo* placental ultrasonic images using digital techniques—a preliminary report (Almond), 29
characteristic echographic features of circumscribed cancer (Kasumi), 369
ultrasonic characterisation of acute renal failure (Gupta), 249
ultrasonic characterisation of diffuse liver disease—The relative important of frequency content in the A-scan signal (Lerski), 155

Imaging
a preliminary analysis of the ultrasound imaging characteristics of malignant breast masses as compared with X-ray mammographic appearance and the gross and microscopic pathology (Harper), 365
a simple calibration and evaluation phantom for ultrasound scanners (McCarty), 393
an anthropomorphic ultrasound breast phantom containing intermediate-sized scatterers (Madsen), 381
characteristic echographic features of circumscribed cancer (Kasumi), 369
left ventricular inflow obstruction and atrial septal defect: diagnosis by real time two-dimensional echocardiography (Gondi), 681
right sided endocarditis following Swan–Ganz catheterization: detection by two-dimensional echocardiography (Iqbal), 701
two-dimensional echocardiographic identification of multiple cardiac tumours in a newborn (Fitzpatrick), 695
two-dimensional echocardiography of intracardiac masses: echo pattern-histopathology correlation (Bhandari), 673
ultrasonic exposure in static and real time echography (Barnett), 273
ultrasonic mammography without specialised equipment. Comparison with clinical examination and X-rays (Breyer), 377

Instrumentation
a comparison of two calibration methods for ultrasonic hydrophones (Gloersen), 545
a digital technique for tracking moving interfaces (Groves), 185
a proposed standard target for ultrasound Doppler gain calibration (Newhouse), 313
a simple calibration and evaluation phantom for ultrasound scanners (McCarty), 393
an anthropomorphic ultrasound breast phantom containing intermediate-sized scatterers (Madsen), 381
microwatt ultrasonic power determination using laser interferometry (Reibold), 191
oil-in-gelatin dispersion for use as ultrasonically tissue-mimicking materials (Madsen), 277
Iqbal, S. M., Hehir, R. L., Ehrich, D. A. and Nanda, N. C.: Right sided endocarditis following Swan–Ganz catheterisation: detection by two-dimensional echocardiography, 701

Irradiation
an annular focus ultrasonic lens for local hyperthermia treatment of small tumors (Beard), 177
effect of pulsed ultrasound on human erythrocytes *in vitro* (Pinamonti), 631
effects of ultrasound on *Drosophila*—IV. Pulsed exposures of eggs (Child), 311
the action of low-intensity pulsed ultrasound on amphibian embryonic tissues (Sarvazyan), 639
the effect of ultrasound on microvascular hemodynamics in skeletal muscle: effect on arterioles (Hogan), 45

the exposure vessel as a factor in ultrasonically induced mammalian cell lysis—I. A comparison of tube and chamber systems (Sacks), 289
the exposure vessel as a factor in ultrasonically-induced cell lysis—II. An explanation of the need to rotate exposure tubes (Church), 299
ultrasonic exposure in static and real time echography (Barnett), 273
ultrasonic treatment of tumors—III. High intensity, low frequency exposures (Child), 41

J

Jackson, V. P., see Harper, A. P.
Jahn, G. E., see Creekmore, S. P.
Johnston, K. W., see Brown, P. M.
Johnston, K. W., see Kassam, M. S.
Johnston, K. W., see Zuech, P.
Joynt, L. and Popp, R. L.: The concept of three dimensional resolution in echocardiographic imaging, 237

K

Kajitani, T., see Kasumi, F.
Kassam, M. S., Cobbold, R. S. C., Johnston, K. W. and Graham, C. M.: Method for estimating the Doppler mean velocity waveform, 537
Kassam, M., see Brown, P. M.
Kassam, M., see Zuech, P.
Kasumi, F., Fukami, A., Kuno, K. and Kajitani, T.: Characteristic echographic features of circumscribed cancer, 369
Keagy, B. A., Pharr, W. F., Thomas, D. and Bowes, D. E.: A quantitative method for the evaluation of spectral analysis patterns in carotid artery stenosis, 625
Kelly-Fry, E., see Harper, A. P.
Khalifa, A. M. A., see Giddens, D. P.
Kossoff, G., see Barnett, S. B.
Kronik, G.: Contrast *M*-mode echocardiography in patients with interatrial communications, 501
Kuno, K., see Kasumi, F.

L

Lancée, C. T., see Meltzer, R. S.

Laser interferometry
microwatt ultrasonic power determination using laser interferometry (Reibold), 191
Lerski, R. A., Morley, P., Barnett, E., Mills, P. R., Watkinson, G. and MacSween, R. N. M.: Ultrasonic characterisation of diffuse liver disease—The relative importance of frequency content in the A-scan signal, 155
Lewin, P. A., see Gloersen, W. B.
Linke, C. A., see Child, S. Z.
Lin-sin, Y., see Wei-qi, W.

Liver
evaluation of backscattering coefficients for excised human tissues: results, interpretation and associated measurements (Nicholas), 17

measurement of soft tissue motion using correlation between A-scans (Dickinson), 263
ultrasonic characterisation of diffuse liver disease—The relative importance of frequency content in the A-scan signal (Lerski), 155

Lysis
the exposure vessel as a factor in ultrasonically-induced mammalian cell lysis—I. A comparison of tube and chamber systems (Sacks), 289
the exposure vessel as a factor in ultrasonically-induced mammalian cell lysis—II. An explanation of the need to rotate exposure tubes (Church), 299

M

MacPherson, D. S., see Evans, D. H.
MacSween, R. N. M., see Lerski, R. A.
Madsen, E. L., Zagzebski, J. A. and Frank, G. R.: Oil-in-gelatin dispersions for use as ultrasonically tissue-mimicking materials, 277
Madsen, E. L., Zagzebski, J. A. and Frank, G. R.: An anthropomorphic ultrasound breast phantom containing intermediate-sized scatterers, 381
Maglin, R. L., see Beard, R. E.

Mammography
a preliminary analysis of the ultrasound imaging characteristics of malignant breast masses as compared with X-ray mammographic appearances and the gross and microscopic pathology (Harper), 365
characteristic echographic features of circumscribed cancer (Kasumi), 369
ultrasonic mammography without specialised equipment. Comparison with clinical examination and X-rays (Breyer), 377
Manning, J. A., see Fitzpatrick, P. G.
Maulick, D., Saini, U. D., Nanda, N. C. and Rosenweig, M. S.: Doppler evaluation of fetal hemodynamics, 705
Maurer, G., see Ghosh, A.
Mazzeo, V., see Pinamonti, S.
McCarty, K. and Stewart, W.: A simple calibration and evaluation phantom for ultrasound scanners, 393
McIlroy, M. B., see Creekmore, S. P.
Meltzer, R. S., Roelandt, J., Bastiaans, O. L., Pierard, L., Serruys, P. W. and Lancée, C. T.: Videodensitometric processing of contrast two-dimensional echocardiographic data
Merton, J., Nicholas, D., Hill, C. R., Grover, S., Queenan, M. and Cosgrove, D.: Ultrasonic diffraction scanning of the thyroid, 145
Miller, M. W., see Church, C. C.
Miller, M. W., see Sacks, P. G.
Mills, P. R., see Lerski, R. A.
Minasian, H. and Bamber, J. C.: A preliminary assessment of an ultrasonic Doppler method for the study of blood flow in human breast cancer, 357
Morley, P., see Lerski, R. A.

N

Nanda, N. C., see Bhandari, A. K.
Nanda, N. C., see Fitzpatrick, P. G.
Nanda, N. C., see Ghosh, A.
Nanda, N. C., see Gondi, B.

Nanda, N. C., see Iqbal, S. M.
Nanda, N. C., see Maulik, D.
Nanda, N. C., see Ong, L. S.
Nassiri, D. K., see Nicholas, D.
Nathan, R. S., see Newhouse, V. L.
Newhouse, V. L., Nathan, R. S. and Hertzler, L. W.: A proposed standard target for ultrasound Doppler gain calibration, 313
Nicholas, D.: Evaluation of backscattering coefficients for excised human tissues: results, interpretation and associated measurements, 17
Nicholas, D., Hill, C. R. and Nassiri, D. K.: Evaluation of backscattering coefficients for excised human tissues: principles and techniques, 7
Nicholas, D., see Merton, J.
Noe, J. S., see Harper, A. P.

O

Obstetrics
characterisation of *in vivo* placental ultrasonic images using digital techniques—a preliminary report (Almond), 29
Doppler evaluation of fetal hemodynamics (Maulik), 705
Ong, L. S., Nanda, N. C., Falkoff, M. D. and Barold, S. S.: Interatrial septal aneurysm, systolic click and atrial tachyarrhythmia—a new syndrome, 691
Ostroumova, T. V., see Sarvazyan, A. P.
Ott, C. E., see Gupta, V. N.

P

Pattern recognition
computer based pattern recognition of carotid arterial disease using pulsed Doppler ultrasound (Greene), 161
Pedersen, T., Hatteland, K. and Semb, B. K. H.: Bubble extraction by various arterial filters measured *in vitro* with Doppler ultrasound techniques, 71
Petropavlovskaya, M. N., see Sarvazyan, A. P.

Phantom
a proposed standard target for ultrasound Doppler gain calibration (Newhouse), 313
a simple calibration and evaluation phantom for ultrasound scanners (McCarty), 393
an anthropomorphic ultrasound breast phantom containing intermediate-sized scatterers (Madsen), 381
the concept of three dimensional resolution in echocardiographic imaging (Joynt), 237
oil-in-gelatin dispersions for use as ultrasonically tissue-mimicking materials (Madsen), 277
videodensitometric processing of contrast two-dimensional echocardiographic data (Meltzer), 509
Pharr, W. F., see Keagy, B. A.
Phillips, D. J., see Greene, F. M., Jr.
Pierard, L., see Meltzer, R. S.
Pinamonti, S., Gallenga, P. E. and Mazzeo, V.: Effect of pulsed ultrasound on human erythrocytes *in vitro*, 631

Placenta
characterisation of *in vivo* placental ultrasonic images using digital techniques—a preliminary report (Almond), 29
Popp, R. L., see Joynt, L.
Powalowski, T., see Groves, D. H.

Power measurement
microwatt ultrasonic power determination using laser interferometry (Reibold), 191
Pryce, W. I. J., see Almond, D. C.

Pulsed Doppler
assessment of aortic regurgitation by means of pulsed Doppler ultrasound (Hatteland), 1
computer based pattern recognition of carotid arterial disease using pulsed Doppler ultrasound (Greene), 161
videodensitometric processing of contrast two-dimensional echocardiographic data (Meltzer), 509

Q

Queenan, M., see Merton, J.

R

Radiation force
microwatt ultrasonec power determination using laser interferometry (Reibold), 191

Range measurement
a digital technique for tracking moving interfaces (Groves), 185
Ransburg, R., see Harper, A. P.

Refraction
echocardiographic contrast patterns of the right-side of the heart: clinical significance (Gullace), 493
Reibold, R.: Microwatt ultrasonic power determination using laser interferometry, 191

Resolution
the concept of three dimensional resolution of echocardiographic imaging (Joynt), 237

Renal parenchyma
ultrasonic characterisation of acute renal failure (Gupta), 249
Robinson, H. P., see de Crespigny, L. Ch.
Roelandt, J.: Review Paper. Contrast echocardiography
Roelandt, J., see Meltzer, R. S.
Rosenzweig, M. S., see Maulik, D.

S

Sacks, P. G., Miller, M. W. and Church, C. C.: The exposure vessel as a factor

in ultrasonically induced mammalian cell lysis—I. A comparison of tube and chamber systems, 289
Sacks, P. G., see Church, C. C.
Saini, V. D., see Maulik, D.
Sarvazyan, A. P., Beloussov, L. V., Petropaulovskaya, M. N. and Ostroumova, T. V.: The action of low-intensity pulsed ultrasound on amphibian embryonic tissues, 639

Scattering
evaluation of backscattering coefficients for excised human tissues: principles and techniques (Nicholas), 7
Semb, B. K. H., see Hatteland, K.
Semb, B. K. H., see Pedersen, T.
Serruys, P. W., see Meltzer, R. S.
Smachlo, K., see Child, S. Z.

Spectrum analysis
a critical study of ultrasound Doppler spectral analysis for detecting carotid disease (Brown), 515
a quantitative method for the evaluation of spectral analysis patterns in carotid artery stenosis (Keagy), 625
comparison of methods of recording and analysis of Doppler blood velocity signals in normal subjects (Creekmore), 525
computer based pattern recognition of carotid arterial disease using pulsed Doppler ultrasound (Greene), 161
evaluation of backscattering coefficients for excised human tissues: principles and techniques (Nicholas), 7
review paper. Contrast echocardiography (Roelandt), 471
the application of CCD transversal filters for real-time spectral analysis of Doppler ultrasound signals (Zuech), 57
ultrasonic characterisation of diffuse liver disease—The relative importance of frequency content in the A-scan signal (Lerski), 155
ultrasonic Doppler studies of the breast (Burns), 127
videodensitometric processing of contrast two-dimensional echocardiographic data (Meltzer), 509
Stewart, H. F., see Gloersen, W. B.
Stewart, W., see McCarty, K.
Strandness, D. E., Jr., see Greene, F. M., Jr.

T

Taylor, K. J. W., see Kuc, R.
Targett, R. C., see Creekmore, S. P.

Temperature distribution
an annular focus ultrasonic lens for local hyperthermia treatment of small tumors (Beard), 177

Texture analysis
characterisation of *in vivo* placental ultrasonic images using digital techniques—a preliminary report (Almond), 29
ultrasonic characterisation of diffuse liver disease—The relative importance of frequency content in the A-scan signal (Lerski), 155
Thomas, D., see Keagy, B. A.

Thyroid
ultrasonic diffraction scanning of the thyroid (Merton), 145

Tissue characterisation
characterisation of *in vivo* placental ultrasonic images using digital techniques—a preliminary report (Almond), 29
evaluation of backscattering coefficients for excised human tissues: results, interpretation and associated measurements (Nicholas), 17
ultrasonic characterisation of acute renal failure (Gupta), 249
ultrasonic characterisation of diffuse liver disease—The relative importance of frequency content in the A-scan signal (Lerski), 155
ultrasonic diffraction scanning of the thyroid (Merton), 145
ultrasonic Doppler studies of the breast (Burns), 127

Toxicity
effect of pulsed ultrasound on human erythrocytes *in vitro* (Pinamonti), 631
effects of ultrasound on *Drosophila*—IV. Pulsed exposures of eggs (Child), 311
the action of low-intensity pulsed ultrasound on amphibian embryonic tissues (Sarvazyan), 639

Tumours; growth, treatment, response
a preliminary assessment of an ultrasonic Doppler method for the study of blood flow in human breast cancer (Minasian), 357
an annular focus ultrasonic lens for local hyperthermia treatment of small tumors (Beard), 177
ultrasonic Doppler studies of the breast (Burns), 127
ultrasonic treatment of tumors—III. High intensity, low frequency exposures (Child), 41

U

Ultrasound mammography
a preliminary analysis of the ultrasound imaging characteristics of malignant breast masses as compared with X-ray mammographic appearances and the gross and microscopic pathology (Harper), 365
an anthropomorphic ultrasound breast phantom containing intermediate-sized scatterers (Madsen), 381
characteristic echographic features of circumscribed cancer (Kasumi), 369
ultrasonic mammography without specialised equipment. Comparison with clinical examination and X-rays (Breyer), 377

V

Velocity, propagation
a simple calibration and evaluation phantom for ultrasound scanners (McCarty), 393
an anthropomorphic ultrasound breast phantom containing intermediate-sized scatterers (Madsen), 381
echocardiographic contrast patterns of the right-side of the heart: clinical significance (Gullace), 493
evaluation of backscattering coefficients for excised human tissues: results, interpretation and associated measurements (Nicholas), 17

oil-in-gelatin dispersions for use as ultrasonically tissue-mimicking materials (Madsen), 277
ultrasonic characterisation of acute renal failure (Gupta), 249
Vives, B., see Child, S. Z.

W

Watkinson, G., see Lerski, R. A.
Webb, A. J., see Burns, P. N.
Wells, P. N. T., see Burns, P. N.
White, D. N.: Johann Christian Doppler and his effect—a brief history, 583
White, D. N., see Groves, D. H.
Wilson, L. S., see Robinson, D. E.

Z

Zagzebski, J. A., see Madsen, E. L.
Zuech, P., Cobbold, R. S. C., Kassam, M. and Johnston, K. W.: The application of CCD transversal filters for real-time spectral analysis of Doppler ultrasound arterial signals, 57
Żunter, F., see Breyer, B.